
STATEMENT OF WORK (SOW)

FOR THE REBUILD OF THE

ENGINE, DIESEL

NSN 2815-01-318-8135



EFFECTIVE DATE: 28 MAY 2003

STATEMENT OF WORK (SOW) FOR THE REBUILD OF THE ENGINE, DIESEL NSN 2815-01-318-8135

TABLE OF CONTENTS

Section/Paragraph					
1.0	SCOPE	1			
1.1	Background	1			
2.0	APPLICABLE DOCUMENTS	1			
2.1	Military Standards	1			
2.2	Other Government Documents and Publications	1			
2.3	Industry Standards	2			
3.0	REQUIREMENTS	2			
3.1	General Tasks	2			
3.2	Configuration Management	2			
3.2.1	Configuration Status Accounting (CSA)	2			
3.2.2	Configuration Control	3			
3.3	Government Furnished Equipment (GFE)/Government	3			
	Furnished Materiel (GFM)				
3.4	Contractor Furnished Materiel (CFM)	3			
3.5	Quality Assurance Provisions	3			
3.6	Acceptance	4			
3.7	Rejection	4			
3.8	Packaging, Handling, Storage and Transportation (PHS&T)	5			

STATEMENT OF WORK (SOW) FOR THE REBUILD OF THE ENGINE, DIESEL NSN 2815-01-318-8135

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commerical or government entity performing the rebuild) to rebuild the Engine, Diesel, NSN 2815-01-318-8135, in support of the Tractor, Full Tracked, with Multipose Bucket, NSN 3805-01-315-1091. This document contains requirements to restore the Engine, Diesel to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining.
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance and life expectancy. This is accomplished through complete disassembly of the item; inspection of all parts or components, repair or replacement of worn or unserviceable parts using original manufacturing tolerances and/or specifications and subsequent reassembly of the item."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the data of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

2.2 Other Government Documents And Publications

TM 3080-34	Corrosion Prevention and Control
TM 09426A-25/2	Service Manual, Tractor, Full Tracked Model MC1155E
DoD 4000.25-1-M	Military Standard Requisitioning and Issue Procedures (MILSTRIP)
SL-4-09426A	Repair Parts for Loader, Scoop Type, Full Tracked
ATPD 2232	Preparation for Shipment and Storage of Engines

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management

2.3 Industry Standards

ANSI/ISO/ASOC 09001-2000 Quality Management Systems – Requirements

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by Contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Command, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 REQUIREMENTS

- 3.1 General Tasks. In fulfilling the specified requirements, the Contractor shall:
- a. Perform a complete rebuild of the Engine, Diesel in accordance with TM 09426A-25/2. The Engine, Diesel parts list is contained within SL-4-09426A.
- b. Provide materials, labor, facilities, repair parts, and missing parts necessary to inspect, diagnose, restore, and test the Engine, Diesel. Upon Completion of the rebuild, the Engine, Diesel shall be Condition Code "A".
- c. All items shall be rust proofed as required. Rust proofing shall be in accordance with procedures for corrosion prevention and control as identified in TM 3080-34.

3.2 Configuration Management

3.2.1 <u>Configuration Status Accounting (CSA)</u>. The Contractor shall determine the application status of approved configuration changes by visual inspections to the extent possible. The

Contractor shall provide a checklist for each Engine, Diesel and record the inspection findings along with other required data.

- 3.2.2 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request For Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA) (Code 571-1) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel Management Department, Management Control Activity (Code 571-1), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, or faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.4 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP). Chapter 11, provides guidance to Contractors on the requisitioning process. The Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.
- 3.5 Quality Assurance Provisions. The performance of the Contractor and the quality of work delivered, material provided and documents written shall be subject to in-process review and inspection by Marine Corps Systems Command (Code PMM152), Albany, GA and/or their representative(s) during contract performance. Inspection may be accomplished at any work location. Authorized Marine Corps Systems Command (Code PMM152), Albany, GA and/or their representative(s) shall be permitted to observe the work/task accomplishment or to conduct inspections within Contractor normal working hours. Acceptance test shall be held in-plant. Inspection by Marine Corps Systems Command (Code PMM152), Albany, GA and/or their representative(s) of all acceptance tests plans, materials and associated lists furnished hereunder does not relieve the Contractor from any responsibility regarding defects or other failures to meet contract requirements which may be disclosed prior to final acceptance. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000 Quality Management Systems – Requirements. The Contractor's work shall be subject to in-process reviews and inspections for compliance with Quality Systems by Marine Corps Systems Command (Code PMM152), Albany, GA and/or their representative(s). Noncompliance with procedures resulting in degraded quality of work may result in a stop-work order requiring action by the Contractor to correct the work performed and to enforce compliance with quality assurance procedures or face contract termination.

Notwithstanding such Marine Corps Systems Command (Code PMM152), Albany, GA and/or their representative(s) inspection, it shall be the Contractor's responsibility to ensure that the Engine, Diesel meets the performance requirements delineated and addressed in the TM 09426A-25/2 and this SOW.

The Contractor will not be subject to government oversight if the Contractor has been ISO-9001 qualified or certified with a 2^{nd} or 3^{rd} party certification. The discovery of non-conforming product or service shall lead to government oversight until the Contractor is re-qualified or recertified by a 2^{nd} or 3^{rd} party auditing service.

Quality assurance operations performed by the Contractor shall be subject to the Marine Corps Systems Command (Code PMM152), Albany, GA and/or their representative(s) verification at any time. The Marine Corps Systems Command (Code PMM152), Albany, GA. and/or their representative(s) verifications will include the following:

- a. Inspection of materials, products, assemblies, and documentation to assess compliance with quality standards.
- b. Surveillance of operations to determine that quality assurance, practices, methods, and procedures are being properly applied.
- c. Inspections of deliverable products to assure compliance with all requirements of TM 09426A-25/2 and this SOW.

Failure of the Contractor facility to promptly correct deficiencies discovered shall be a reason for suspension of acceptance until corrective action has been made.

- 3.6 Acceptance. The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled shall be subject to in process review and inspection during performance. Inspection may be accomplished in plant or at any work site or location, and Marine Corps Systems Command (Code PMM152), Albany, GA and/or their representative(s) shall be permitted to observe the work or to conduct inspections within Contractor's normal working hours. Final inspection and acceptance testing shall be conducted at the Contractor's facility. Finally, acceptance shall be conducted on 100 percent of items to verify that the units meet all requirements.
- 3.7 <u>Rejection</u>. Failure to comply with any of the specified requirements listed herein shall be reason for rejection by the Marine Corps Systems Command (Code PMM152), Albany, GA and/or their representative(s). The Contractor shall, at no additional cost to the Marine Corps, provide the following:
 - a. Develop an approach for modification or correction of all deficiencies.

b. On approval of a documented approach, the Contractor shall correct the deficiencies and repeat verification until acceptable compliance with acceptance test procedures are demonstrated.

3.8 Phase IV - Packaging, Handling, Storage And Transportation (PHS&T).

- a. The Contactor shall be responsible for preservation and packaging of item(s) being rebuilt under the terms of this Statement of Work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the Level "A" requirements of ATPD 2232, TYPE IV. Items scheduled for domestic shipment for immediate use, or short-term storage shall be in accordance with Level "B" requirements.
 - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with shipping address(es) for delivery of repaired equipment. The Contractor shall be responsible for arranging for shipment of the equipment to the pre-designed site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the ContractifyR No. listed in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT C. CATEGORY:										
D. SYSTEM/ITEM		<u> </u>	E. CONTRACT/PR	NO	TM	F. CONTR						
	ingine Diesel		E. CUNTRACIJEN	NO.		F. CUNIK	ACTUK				:	
1. DATA ITEM NO.	2. TITLE OF DATA ITEM					3. SUBTITLE		-	,			17. PRICE GROUP
A001		Request	For Deviation	1			Config	uration Mar	nageme	ent		
4. AUTHORITY (Data Acquis			5. CONTRACT REFEREN			<u> </u>	6. REQUIRING OFFICE					18. ESTIMATED TOTAL PRICE
DI-CMAN-80640C		T	SOW 3.2.2			MCLCA (583)					TOTAL PRICE	
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUEN	ASREQ	12. DATE OF FIRST SUBMISSION See Blk 16		14. DISTRIBUTION		b. COPIES Final				
B. APP CODE		11. AS OF DATE		13. DATE OF SUBSEQUENT			a. Addressee					
Α	Α			SUBM	SUBMISSION		a. ADDRESSEE	Draft	Reg	Repro	70	
16. REMARKS Blk 4 - RFDs s authorized.	shall be submitted	electron	ically and cont	ractor	format is		MCLC	A (583-1)	0	1	0	•
Block 4. RFD text files shall be created using MICROSOFT (.doc) or ADOBE (.pdf) formated software products												
Block 4. RFD MICROSOFT	accompanying fig or ADOBE forma	ures or g	raphics shall to a minimum c	e crea lensity	ated using a of 600 dpt.							
Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.						r						
	on/notification sha figmngmnt@logco											
				. Dist	nibution is							
Unlimited.	atement A: Appro	oved for i	Public Release	; Disti	ribution is							1
												•
									-			
									<u> </u>			
							<u> </u>		1			
												•
											,	1
G. PREPARED BY	•		H. DATE		I. APPROVED B	<u>, //</u>	15. TOTAL		J. DATI	1	0	
O. I HER MIED BY					I. AFFINOVED B	//					,	
Lital	1 str		520-0	<u> </u>	i. Whi	<u> </u>			>-	51 -6	5.5	
DD FORM 1423-	1. AUG 96 (EG)				EDITION MAY BE	USED.			Page	of	Pages	

Pages